

- b-3-4) Predation by Crucian Carp Larva/Fry Visualizes Biological Interactions of Paddy Field Community
- b-3-5) Pioneer Studies on Some Microscopic Organisms: an Unknown Aspect of Species Diversity in Paddy Fields
- b-3-6) An Important Factor Limiting the Distribution of Large Branchiopods in Shiga Prefecture, Japan: Moisture Content of Rice Paddy Soil in Winter
- b-3-7) Aquatic Animal Assemblages Inhabiting the Rice Fields in Shiga Prefecture, Central Japan
- b-3-8) Sustainability of "Rice of Takashima Ikimono Tambo" standing on Market Sympathy

b-4) Environmental Construction of Municipal Communities for Co-existence with Waterbirds

- b-4-1) Social Development and Regional Regeneration through Re-introducing Oriental White Stork and Enhancing Biodiversity of Rice Paddy in Toyooka, Japan.
- b-4-2) Sado's Satoyama in Harmony with Japanese Crested Ibis The Sado GIAHS Project -
- b-4-3) Osaki, the City Which Attracts Migratory Birds its Efforts for Co-existence of Agriculture and Wildlife -
- b-4-4) Project for the Nature-Symbiotic Community Development Noda City, Chiba Prefecture

b-5) Programs to Enhance Biodiversity of Rice Paddies in Tsunami Attacked Areas by Great East Japan Earthquake

- b-5-1) Tohoku Green Renaissance Projects Rebuilding from 3.11 Disaster
- b-5-2) Restoration from the Tsunami through Resilience of Ecosystem

c) Reports on Special Fields

c-1) Soil Microbial Diversity

c-1-1) Advocacy of Positive Environmental Assessment Using Soil Microbial Diversity and its Vitality Value

c-1-2) A New Index for Right Agriculture, "Soil Microbial Diversity *Vitality Value (SMDVV)"

