



## Crested Ibis Restoration in Korea

Upo management center


Sung Bong, LEE



## Contents

1. Current status
2. Background
3. Breeding of Crested Ibis
4. Construction of Ibis restoration center
5. Wild habitat release plan





## Crested Ibis

Ciconiiformes, Threskiornithidae

Name : Crested Ibis

Scientific Name : *Nipponia nippon*

Features

Size : 75cm


weight : 1.6~2kg

Conservation


Korea : Natural Monument, 198

International : IUCN Red list,


Endangered species



## 1. Crested Ibis




- B.C.100, Chinese history
- 720, Japanese history
- 1871, *Nipponia nippon*  
(1genus, 1species, Japan)
- 1960, ‘International protect bird’  
(Tokyo)
- 1981 - extinct(Korea, Russia)
  - extinct of wild bird(Japan)
  - restoration of 7 Ind. (China)



### 1-1. Crested Ibis in Korea

- 1860 large population
- 1888-1913 about 50 individual group  
of ibis recorded(Seoul)
- 1936 10 individual (Seoul zoo)




**1978~79**

### Last bird capture operations


(George Archibald)





*White-napped Crane and Crested Ibis, 1979*

*Nearby DMZ*




*George Archibald, 1979*




1-2. Crested Ibis in Japan

- wild bird in 1970





### 1-2. Changes of population size in Japan



### 1-3. Restoration(China)

- 1981 – designate to protection area  
(Shānxī Shěng, China)


**-7 birds in 1981**




**-1000 birds in 2006**

- 2006 - Shānxī Shěng, China  
National Protection Area : 1,000 Ind.






1-3. Changes of population in China



## 2. Background






Symbol of friendship between Korea and China



2008. 8. 25.  
Ho jin tao and Myungbak LEE




The first step of restoration





2008. 10. 17.  
A pair of Crested Ibis reached in Korea



### 3. Breeding status




#### ● Life cycle









### ● Other species of ibis

Reach time : 2010. 6. 16. 17:30




Straw-necked Ibis  
*Threskiornis spinicollis*




American White Ibis  
*Eudocimus albus*



### 4. Construction of Ibis restoration center



● Location



● Restoration center



○ Total area : 19,810m<sup>2</sup>

○ Expenses : 7million \$

○ Facilities


Classification	NO.	Size
Research	1	1,000m <sup>2</sup>
Quarantine	1	260m <sup>2</sup>
Reproduction cage	16	2,152m <sup>2</sup>
Breeding cage	1	900m <sup>2</sup>
Hatching & Brood	1	45m <sup>2</sup>
Other species	1	52m <sup>2</sup>

○ Completion : '11. 6. 21

※ Wild habitat adaptation facility


: 2014

## 5. Wild habitat release plan



● Biotope (13 area)





### Case study (Japan)



### Release plan

#### Current status

Total	2008	2009	2010	2011	2012	Remarks
15	♂-1, ♀-1	♀-2	♂-1, ♀-1	♀-7	2	

#### Increase plan

Total	2011	2012	2013	2014	2015	2016
118	13	5(18)	10(28)	20(48)	30(78)	40(118)

Thank you for your attention !

